

LA-9004

~~SECRET~~

D00033413

Nuclear Weapon Data

~~Sigma 1~~

This document consists of 10 pages
No. 52 of 79 copies, Series A

~~Critical Nuclear Weapon
Design Information Per
DoD Directive 5210.2
Issued: January 1982~~

The Ultra-Low Yield Antitank Weapon

The Teeny Tiny Tacnuke (U)

REDACTED COPY

Johndale C. Solem

JUN 23 1998

LOS ALAMOS NATIONAL LABORATORY
3 9338 00363 1701

SCANNED

DEPARTMENT OF ENERGY DECLASSIFICATION REVIEW	
1 st Review Date: 08/14/2014	DETERMINATION (CIRCLE NUMBER(S))
Authority: <input type="checkbox"/> DC <input checked="" type="checkbox"/> DD	1. CLASSIFICATION RETAINED
Name: H. Schmidt	2. CLASSIFICATION CHANGED TO:
2 nd Review Date: 08/19/2014	3. CONTAINS NO DOE CLASSIFIED INFO
Authority: [redacted]	4. COORDINATE WITH:
Name: T. Perea, DOE OC	5. CLASSIFICATION CANCELED
	6. CLASSIFIED INFO BRACKETED
	7. OTHER (SPECIFY):



University of California
LOS ALAMOS SCIENTIFIC LABORATORY

Post Office Box 1663 Los Alamos, New Mexico 87545

Derivative Classifier
E. M. Sandoval
Classification Analyst

~~RESTRICTED DATA~~

~~This document contains Restricted Data as defined in the Atomic Energy Act of 1954. Unauthorized disclosure subject to Administrative and Criminal Sanctions.~~

~~SECRET~~

~~SECRET /RD~~

An Affirmative Action/Equal Opportunity Employer

NOTICE: Reproduction of this document requires the written consent of the originator, his successor, or higher authority.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

UNITED STATES
DEPARTMENT OF ENERGY
CONTRACT W-7405-ENG. 36

~~SECRET /RD~~

THE ULTRA-LOW YIELD ANTITANK WEAPON
The Teeny Tiny Tacnuke (U)

by

Johndale C. Solem

ABSTRACT (C) ~~RD~~

DELETED

DOE
6.2 (a)

The effect of such a device on tank crews is shown to be consistent with the P_k of unity for ballistic delivery systems. Estimates of collateral damage indicate that such a device could be used in close proximity to civilian populations with minimal hazard.



THE W79

The W79 is an 8-in., enhanced radiation, artillery fired atomic projectile. The device is in production and will enter the stockpile in the early 1980s. It is about 44 cm long and weighs about 200 lb complete with its arming, fusing, and firing system and its rocket assist. The range of the projectile when fired from an 8-in. howitzer is about 32 km.

DELETED

DOE
6.2 (a)

DOE
6.2 (a)

DELETED

TACTICS

Should a European Theater conflict escalate to the nuclear level, the effect will be to force Soviet and Warsaw Pact armies to disperse formations of tanks to avoid having large numbers incapacitated by a single weapon. Denying an aggressor force the use of massed formations of armor is the single most important aspect of the W79.

DELETED

DOE
6.2 (a)

DELETED

**DOE
6.2 (a)**

**DOE
6.2 (a)**

DELETED

Whether a device with a lethal range as great as the W79 is an optimal weapon against massed formations of tanks is much debated; nevertheless, it remains a significant achievement of the technological community to get such an advanced device into the tactical stockpile.

The principal purpose of this report is to propose a complement to the W79 for the one-on-one engagements with tanks that will result from their forced dispersal.

THE ONE-ON-ONE ENGAGEMENT

A war with a technologically sophisticated enemy such as the Soviet Union will present extremely stressing countermeasures to high technology weapons systems. Although I have great faith that precision guided munitions of extraordinary accuracy and durability will be developed, the survival of such devices against countermeasures and in the severe environment of a nuclear war is certainly unproven. Almost any beam-riding weapon, using a laser or radar guidance system, is vulnerable to

countermeasures and can reveal the position of the attacker. Devices employing low levels of artificial intelligence such as pattern recognition gadgetry are bound to suffer from smoke, dust, and chaff. Wire-guided and fiber-optic-guided munitions also suffer from countermeasures, mainly owing to their intrinsic lack of speed. It seems that for every new guidance system a new wrinkle can be discovered to defeat it. Furthermore, all devices using solid-state microcircuitry are vulnerable to electromagnetic pulses.

SIMPLICITY IS ELEGANCE

There is no countermeasure to a ballistic trajectory. What weapon is then appropriate to ballistic delivery at typical one-on-one engagement distances? Normally the target will be acquired at ranges of about 2 km. This will be purely visual contact. Normally, ballistic delivery miss distances do not exceed 7 1/2 *mils*; that is, 7 1/2 m at 1 km. The type of circular error probability varies with the type of ballistic delivery mechanism, and because a tank

is generally a moving target, miss distances may be slightly enlarged. They are unlikely to exceed 25 m at 2 km, however. For the purpose of this discussion, we might consider the delivery vehicle to be a small rocket.

blast. The target tank would suffer little effect from blast at 25 m. The effect of blast on civilian structures near the battlefield would be trivial. Three hundred meters from the point of detonation windows would rattle but not break.

The most important aspect of collateral damage is local fallout.

DOE
6.2 (a)

DELETED

DELETED

DOE
6.2 (a)

ANALYTIC EFFECTS CALCULATIONS

Table I shows the radiation dose from neutrons and gamma rays as a function of distance from the point of detonation. Tank crews within 25 m of the weapon would be immediately incapacitated. Civilian populations 300 m from the point of detonation would be completely safe. Table II shows the expected thermal radiation from the same device. The thermal radiation would have no effect on the tank other than to singe its paint. Beyond 300 m, exposed personnel might be temporarily blinded from looking directly at the detonation, but would suffer no burns to exposed skin. Table III shows

Furthermore, with a surface burst or a burst in which soil became infused with the fission fragments, the fallout would be expected to be confined to the battlefield itself. In air bursts the fission fragments would be expected to rise with the fireball and be dispersed over a fairly large area. The principal advantage of such a device in reducing collateral damage from local fallout is that it simply does not produce much in the way of fission fragments or activated weapon debris.

DELETED

DOE
6.2 (a)

TABLE I

PROMPT NUCLEAR RADIATION DOSE FROM

DELETED

DOE
6.2 (a)

Distance
(m)

DELETED

- 15
- 25
- 50
- 100
- 300

DOE
6.2 (a)

TABLE II

THERMAL EFFECTS FROM

DELETED

DOE
6.2 (a)

Distance
(m)

Exposure
(cal/cm²)

- 15
- 25
- 50
- 100
- 300

DELETED

DOE
6.2 (a)

TABLE III

BLAST EFFECTS FROM

DELETED

DOE
6.2 (a)

<u>Distance (m)</u>	<u>Peak Overpressure (psi)</u>	<u>Peak Dynamic Pressure (psi)</u>
15		
25		
50		
100	DELETED	
300		

DOE
6.2 (a)

DELETED

DOE
6.2 (a)

MONTE CARLO CALCULATION

DOE
6.2 (a)

To assess the accuracy of the analytic calculations given in the previous section a Monte Carlo calculation

~~DELETED~~

SAFETY AND SECURITY

Certain features of the design specifications of such a device have intrinsic advantages in the context of safety and security. Of course, arguments here must be made within the arena of rational and material consequences rather than the arena of political consequences.

DOE
6.2 (a)

~~DELETED~~

By any measure this corresponds to a P_k of unity.

~~DELETED~~

DOE
6.2 (a)

Let me elaborate on this rather radical statement.

DOE
6.2 (a)

~~DELETED~~

~~DELETED~~

DOE
6.2 (a)

It is not a weapon of mass destruction. It is designed to be effective against tanks. These features do not provide the terrorist any great material advantage.




Fig. 3. Geometry of Monte Carlo calculation

~~DELETED~~

DOE
6.2 (a)

The terrorist is seeking increased fire power, which scales approximately with yield.

DELETED

**DOE
6.2 (a)**

In the present public perception, however, such a device might have an enormous political effect. The public should be educated.

DELETED

**DOE
6.2 (a)**

DELETED

**DOE
6.2 (a)**

The same constraint would prohibit the use of plutonium and, therefore, would deny the terrorist access to toxic material he might use in other than a nuclear explosive context. In containing a small amount of material, such weapons would also deny the terrorist enough fissile material to build a weapon of larger yield. If bent on capturing fissile material, the terrorist would do better with other presently unsecured weapons.

**DOE
6.2 (a)**

DELETED

Perhaps the political climate that would allow the development of such a weapon would also allow a change in standards.

APPROACHES TO DEVELOPMENT OF SUCH A DEVICE

**DOE
6.2 (a)**

DELETED

DOE
6.2 (a)

DELETED

CONCLUSIONS

DOE
6.2 (a)

DELETED

DOE
6.2 (a)

DELETED

Whether such a device is truly feasible is a matter of careful technical scrutiny. I hope that this paper might provide sufficient impetus for its further exploration.

ACKNOWLEDGMENTS

The author wishes to acknowledge the consultation and involvement of R. Sandoval, J. Richter, and A. Dana in this study, and O. Deutsch for running the Monte Carlo calculation.

Standard Distribution

	Copy No.		Copy No.
US DOE, Headquarters Library, Reports Section, Washington, DC	1-3	Defense Nuclear Agency Field Command, Kirtland AFB, New Mexico	12-13
Manager, ALO, Albuquerque, New Mexico	4	Commander, Naval Sea Systems Command, Washington, DC	14
Lawrence Livermore National Laboratory, Livermore, California	5-6	Director, Air Force Weapons Laboratory, Kirtland AFB, New Mexico	15-17
Sandia National Laboratories, Albuquerque, New Mexico	7	US DOE, Technical Information Center, Oak Ridge, Tennessee	18
Military Liaison Committee, Washington, DC	8	Attn: Weapon Data Index	
Director, Defense Research and Engineering, Washington, DC	9	Los Alamos National Laboratory Report Library	19-77
Headquarters, Defense Nuclear Agency, Washington, DC	10-11		

Special Distribution

	Copy No.
Lawrence Livermore National Laboratory Livermore, California Attn: Edward Teller, L-75 John Immile, L-22	78-79